



Ice Well
Cold Well
Frost Top

Functional refrigeration equipment allows varied unique interior design for buffet area and restaurants along with easy operation.



1 CW-**2**900.**3**600 **4**(H180)

| | |
|--|---|
| 1 Model | IW (Ice Well) CW (Cold Well) FT (Frost Top) |
| 2 Width | 900 (900mm), 1200 (1200mm), 1500 (1500mm) |
| 3 Depth | 450 (450mm), 600 (600mm) |
| 4 Internal Height (cold well only) | H180 (180mm), H230 (230mm) |



(Images are remote type, standard models are self-contained with stand)

Ice Well (25ømm drainage)

Cold Well (19ømm drainage)

Frost Top (19ømm drainage)

(Ambient temperature requested : 23°C)

Model **External Dim. (mm)**

| | |
|-------------------|------------------------------------|
| IW-900.600 | 900x600x800H (incl. 600Hmm stand) |
| IW-1200.600 | 1200x600x800H (incl. 600Hmm stand) |
| IW-1500.600 | 1500x600x800H (incl. 600Hmm stand) |
| CW-900.600(H180) | 900x600x800H (incl. 400Hmm stand) |
| CW-900.600(H230) | 900x600x850H (incl. 400Hmm stand) |
| CW-1200.600(H180) | 1200x600x800H (incl. 400Hmm stand) |
| CW-1200.600(H230) | 1200x600x850H (incl. 400Hmm stand) |
| CW-1500.600(H180) | 1500x600x800H (incl. 400Hmm stand) |
| CW-1500.600(H230) | 1500x600x850H (incl. 400Hmm stand) |
| FT-900.450 | 900x450x566H (incl. 466Hmm stand) |
| FT-900.600 | 900x600x566H (incl. 466Hmm stand) |
| FT-1200.450 | 1200x450x566H (incl. 466Hmm stand) |
| FT-1200.600 | 1200x600x566H (incl. 466Hmm stand) |
| FT-1500.450 | 1500x450x566H (incl. 466Hmm stand) |
| FT-1500.600 | 1500x600x566H (incl. 466Hmm stand) |

* Custom-made size is available

Temperature Range (°C)

Ice Well
+4 / +10

Cold Well
+5 / +9

Frost Top
-2 / -6

(IW) 2700K waterproof LED

(CW) 304 S/S perforated shelves

(FT) Static cooling system

(IW) Acrylic base act as light diffuser

(CW) Warm white LED lighting (2700K)

(FT) 19ømm drainage



Designed for indulgent buffet area

IW, CW & FT Reference

