Jade Preparation Key Features

Front-vented refrigeration counter design with raised pan holder for quick and easy food preparation



- Removable cassette type condensing unit and evaporator for easy servicing with zero down time
- O2. Unique airflow design with protective air curtain in raised pan holder to ensure food safety
- The working table top is sufficient for a 12" pizza dough
- O4. Excellent thermal efficiency, high density polyurethane insulation with Zero ODP (Ozone Depletion Potential) and Low GWP (Global Warming Potential)
- Adjustable racking system allows flexible storage
- Anti-condensation door mullion heaters
- 7. Removable anti-tilt trayslides to prevent tipping
- Self-closing doors minimise cool air loss and reduce energy consumption
- Over 90° door opening allows easy loading and stock checking
- 1 (). Removable balloon type magnetic door gasket with air release points provides an excellent seal to prevent heat ingress, easy replacement and avoiding dirt traps



- 11. 135Hmm heavy duty, non-marking swivel and braked castors for easy positioning
- 12. Forced air refrigeration system ensures effective air circulation
- 13. CoolSmart controller with clear digital display is disgned for easy operation
- 14. Imported, durable and energy-efficient compressor
- 15. Condenser and evaporator with Hydrophilic aluminium fins provides high corrosion resistance properties
- 16. Accurate helium leak detection system ensures the quality of the entire refrigeration system
- 17. Automatic defrost ensures the evaporator working to its optimum performance
- 18. Automatically vaporises defrost water, drainage is not required
- 19. Designed and engineered to operate up to 43°C ambient
- 20. Environmental-friendly CFC-free refrigerant (R134a)
- 21. HACCP compliant



Note: Products are NOT designed for outdoor application, please contact Williams team for any special requirement.

Jade Preparation

Specification

- Accommodates 2/1 GN size in under counter
- Accommodates 1/3 GN size (150mm depth) in raised pan holder
- Foodsafe 304 grade stainless steel exterior and interior
- Acrylic sliding cover for raised pan holder
- 1.2mm thick durable 304 grade stainless steel table top
- Galvanised steel exterior back and base
- Fitted with cylindrical lock for door(s)

Options

- 1. 304 grade stainless steel exterior back / base
- 2. Lock plate
- 3. Internal LED
- 4. Right-hand-side condensing unit
- 5. Adjustable legs in lieu of castors
- 6. Front/ side skirting for optional legs
- 7. Additional shelving / trayslides
- 8. 220V / 60HZ / 1PH



Product List

HJ2PCA(J)





Jade Preparation Technical Data

Model	HJ2PCA(J)
Temp Range (°C)	
Under counter	+1 / +4
Raised pan holder with cover	+4
External Dimension (mm)	
Width	1765
Depth	820
Height	1055
Internal Dimension (mm)	
Width	1250
Depth	698
Height	595
Thickness of 304 grade stainless steel (mm)	
Exterior	0.7
Interior	0.6
Door	0.8
Opening Depth (mm)	1424
Capacity	
Under counter (cu.ft / litres)	26 / 737
Raised pan holder (1/3 GN pan)	9
Power Supply	220V / 50HZ / 1PH
	13 amp plug
Power Input - Running (amps) *	3.5
Rating Power (watts) *	770
Compressor (HP)	1/2
Heat Rejection (watts) (Evaporating at -10°C in 32°C ambient)	950
Refrigerant	R134a
Standard fittings	
PE coated shelves	4
Trayslides (pair)	4
Acrylic cover	3
GN pan bridging bar	8

^{* 20%} increase for 60HZ power supply