



Sushi Display Showcase

Combined the sleek design and excellent cooling performance, the showcase keeps the sashimi or sushi fresh and also work up an appetite.



SUS-R-1500-HG

1 Model	SUS (Sushi Display Refrigeration)
2 Condensing unit & louvre type	U (Table top self-contained) R (Remote) B (Self-contained with stand)
3 Width	1200 (1200mm), 1500 (1500mm), 1800 (1800mm)
4 Configuration	HG (Double layer ultra-clear toughened heated glass)



Table top self-contained


Sushi Display Showcase (19ømm drainage)

(Ambient temperature requested : 25°C)

Model	External Dim. (mm)
SUS-U-1200-HG	1200x350x325H
SUS-R-1200-HG	1200x350x325H
SUS-B-1200-HG	1200x350x825H
SUS-U-1500-HG	1500x350x325H
SUS-R-1500-HG	1500x350x325H
SUS-B-1500-HG	1500x350x825H
SUS-U-1800-HG	1800x350x325H
SUS-R-1800-HG	1800x350x325H
SUS-B-1800-HG	1800x350x825H

Temperature Range (°C)
+1 / +4

* Custom-made size is available



LED lighting (2700K) with diffuser

Static cooling system

45° mitre joint of top & front glass

Sliding doors with heated glass

304 grade colour S/S frame



Functionality blended with aesthetic exterior

Sushi Display Reference

